



**35 mm x 90 mm x 100 mm skf KRE 90 PPA
Track rollers,Cam followers**

Bearing No. KRE 90 PPA

KRE 90 PPA Bearing 2D drawings and 3D CAD models

Size	35x90x100 mm
Bore Diameter	35 mm
Outer Diameter	90 mm
Width	100 mm
D	90 mm
d	35 mm
B	100 mm
C	35 mm
B ₁	63 mm
B ₂	15 mm
B ₃	29 mm
C ₁	1 mm
d ₁	53 mm
G	M 30x1.5
G ₁	32 mm
M	8 mm
M ₁	4 mm
SW	14 mm
c	1.5 mm
r _{1,2} - min.	1.1 mm
Basic dynamic load rating - C	38 kN
Basic static load rating - C ₀	76.5 kN
Fatigue load limit - P _u	9.5 kN



MSD MANUFACTURING CO.,LTD.

Maximum dynamic radial loads - F_r	160 kN
Maximum static radial loads - F_{0r}	228 kN
Limiting speed	1800 r/min
Mass support roller	2.032 kg
Recommended tightening torque	450 N · m
Grease fitting	NIP A3x9.5
Hexagonal nut	M 30x1.5
Category	Bearings
Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
UNSPSC	31171530
Weight / Kilogram	0
EAN	7316571843094
Product Group	B04144
B_1	63 mm
B_2	15 mm
B_3	29 mm
C_1	1 mm
d_1	53 mm
G_1	32 mm
M_1	4 mm
$r_{1,2}$ min.	1.1 mm
Basic dynamic load rating C	38 kN
Basic static load rating C_0	76.5 kN
Fatigue load limit P_u	9.5 kN
Maximum dynamic radial loads F_r max.	160 kN
Maximum static radial loads F_{0r} max.	228 kN



MSD MANUFACTURING CO.,LTD.

Mass cam follower	2.03 kg
Lubrication adapter	AP 14